# **VERISCAN®LT**

Automated Endoscope Leak Detection System | Manual Clean







# THE COMPLETE CIRCLE OF PROTECTION

As the global vanguard in infection prevention, only Cantel Medical delivers the Complete Circle of Protection, a full-value, proactive partnership dedicated to helping you remove risk, streamline operational efficiencies and optimize your success.

# A Revolution in Endoscope Leak Testing

# Lowers Cross-contamination Risk Due to Undetected Leaks

- Detecting 99% of endoscope leaks1
- Utilizes highly sensitive, innovative leak sensing technology
- Unsurpassed automated leak detection, compared to approximately 65% by visual observation methods<sup>2</sup>
- Dry endoscope leak test no fluid submersion required
- · Compatible with all flexible endoscopes
- Detects leaks as small as 0.0008"
   (~1/3rd the diameter of a human hair)

# Paper clip wire; 0.033" diameter Human hair; 0.003" diameter Endoscope leak detected by VERISCAN® LT Leak Tester; 0.0008" diameter

# Ensures Compliance with Endoscope Leak Test Protocols

- · Consistent, repeatable endoscope leak testing
- Printable confirmation of leak test results
- Documented endoscope, operator and patient ID information

# Simple to Operate

- · Touch Pad control
- Visual display of cycle screen steps
- · Quick, simple endoscope connection

"Detecting a leak early can result in inexpensive repair. It also prevents fluid invasion, which represents more than 50 percent of total repair costs (that can range between \$1,000 - \$8,000), depending on the damage. Identifying and treating scopes is vital to keeping repair costs down, as well as protecting patient health."

### Chartier, Keith

(2009, April/May). Keep Your Patients Safe by Checking for Scope Leaks. EndoNurse, V9, 20.

### Source

- 1. MEDIVATORS VERISCAN LT Endoscope Leak Detection System; Leak Test Accuracy Summary; June, 2011.
- 2. Verimetrix Company Veriscan Leak Testing Technology Presentation, January 22, 2009.

# **MANUAL CLEAN**



Manual cleaning is essential in removing bioburden and preparing the endoscope for high-level disinfection. For optimal results, Cantel's manual cleaning products and detergents are designed to be a critical first step to efficiently and effectively eliminating bacteria on endoscopes prior to reprocessing.

# **VERISCAN®LT**

Automated Endoscope Leak Detection System | Manual Clean

Proven to Drive Down Endoscope Repair Costs; Detects Endoscope Leaks Early When Repairs are Minor and Less Costly

Large keypad for ease of operation

Simple and quick endoscope connection









# Available Accessories



Crystal Desiccant





Coalescent Filter

**VERISCAN® LT Leak Tester** 

### **Dimensions**

13.125 H x 8.25 W x 19.25 D (inches) 33.3 H x 21 W x 48.9 D (cm)

## Unit Weight

15.8 lbs (7.18 kg)

# **Electrical Safety Certifications**

UL Standard 61010-1 CAN/CSA Standard 61010-1

Electrical Requirements

100-240VAC, 50/60Hz, .25 amp

# **PSI** Range

3.5 - 3.9 PSI (.23 to .26 bar)

Warranty

One year

# VERISCAN LT Leak Tester Ordering Information

Part Number	Description
VER-LT	VERISCAN LT Endoscope Leak Tester

# **Accessory Ordering Information**

Part Number	Description
40100-089	Printer Paper (package of five rolls)
67720-596	Crystal Desiccant (package of one)
MF01-0056	Coalescent Filter (package of one)

# VERISCAN LT Leak Tester Hook-up Ordering Information

Part Number	Description
VER-2501	Install Kit for PENTAX® Endoscopes
VER-2511	Install Kit for KARL STORZ® Endoscopes
VER-2521	Install Kit for FUJIFILM™ Endoscopes
VER-2531	Install Kit for OLYMPUS® Endoscopes

VERISCAN® is a registered trademark of MEDIVATORS Inc. PENTAX® is a registered trademark of Hoya Corporation KARL STORZ® is a registered trademark of Karl Storz & Co.



FUJIFILM™ is a trademark of FUJIFILM Corporation OLYMPUS® is a registered trademark of Olympus Corporation



Phone: +1.973.890-7220



Global Headquarters 14605 28th Avenue North Minneapolis, MN 55447-4822 Phone: +1.763.553.3300 Fax: +1.763.553.3387 TO PLACE AN ORDER Call: 1.800.328.3340 (Customer Service)

Fax: 1.800.686.8493

Email: custserv@medivators.com