

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Neodisher MediClean forte

Item Code:

Product Use: Washing and cleaning products (including solvent based

products)

Restriction of Use: Refer to Section 15

New Zealand Supplier: CRK NZ Ltd

Address: 3 Hotunui Drive

Mt. Wellington

Auckland

Telephone: +64 9 276 3271 Fax Number: +64 9 276 9645

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 17 May 2017

Section 2. Hazards Identification

This substance is hazardous according to the HSNO (Minimum Degrees of Hazard) Regulations 2001

EPA Approval No: Cleaning Products (subsidiary) - HSR002530

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
9.1C	H412	Harmful to aquatic life with long lasting effects.	Category 3

Prevention Code	Prevention Statement	
P103	Read label before use.	
P273	Avoid release to the environment.	

Response Code	Response Statement
None allocated	

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Date of SDS: 17 May 2017 Tel: 64 9 475 5240 www.techcomp.co.nz

Ingredients	Wt%	CAS NUMBER.
Alcohols, C16-18 and C18-unsatd	<u>></u> 1-<10	68920-66-1
Ethoxylated		
Paraffin Oil	>30	8042-47-5

C 4	F! A!. M
Section 4.	First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists:

Get medical advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Never give anything to the mouth of an unconscious person. If vomiting

occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical

attention if needed.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Section 5. Fire Fighting Measures

Hazard Type	Non flammable	
Hazards from	Do not inhale explosion and/or combustion gases. In case of	
combustion	combustion evolution of dangerous gases possible.	
products		
Suitable	Product itself is non-combustible; adapt fire extinguishing measures to	
Extinguishing	surrounding areas.	
media		
Precautions for	In case of combustion use a suitable breathing apparatus.	
firefighters and		
special protective		
clothing		
HAZCHEM CODE	Non Allocated	

Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Absorb spill with inert material. Spill area should be flushed with water to sewer (avoid high pressure rinsing). Do not use cleaning methods that generate aerosol. Pick up with absorbent material. Dispose of according to Local Regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- · Avoid release to the environment.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store product in closed containers.
- Do not store together with foodstuffs.
- Keep container tightly closed and dry.

Product Name: Neodisher Mediclean forte
Date of SDS: 17 May 2017

Issued by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

STEL ppm mg/m³ **Substance** ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

Engineering Controls

Ensure adequate ventilation is available.

Personal Protection

Eyes	Wear safety glasses.
Hands and	Wear protective gloves, i.e neoprene, butyl rubber or nitrile. Clothing as
Skin	usual in the chemical industry.
Respiratory	Not necessary, but do not inhale vapours. If workplace limits are exceeded,
	a respiratory protection approved for this particular job must be worn.
General	Hold eye wash fountain available. Do not inhale gases/vapours/aerosols.
	Avoid contact with skin and eyes. Do not eat, drink or smoke during work
	time. Wash hands before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Yellow to brownish liquid
Odour	Characteristic
Odour Threshold	Not available
pH - Value	Appro 10,1
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not applicable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Density	1.07 g/cm ³
Relative Density	Not available
Solubilities	Not available
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance This product is stable under normal conditions.	
Conditions to Avoid	None known.
Incompatible Materials	None known.
Hazardous Decomposition	None known.

Product Name: Neodisher Mediclean forte Issued by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 17 May 2017 Tel: 64 9 475 5240 www.techcomp.co.nz

Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

HSNO Classes: 9.1C = Harmful to aquatic life with long lasting effects.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method: Triple rinse and dispose of according to Local Regulations.

Precautions and methods to avoid: Wear protective equipment as detailed in Section 8. Absorb spill with inert material. Spill area should be flushed with water to sewer. Pick up with absorbent material. Dispose of according to Local Regulations.

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Cleaning Products (subsidiary) – HSR002530

HSNO Classification: 9.1C

HSNO Controls:

Trigger quantities for this substance:

	Trigger Quantity
Approved Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required

Product Name: Neodisher Mediclean forte

Issued by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 17 May 2017 Tel: 64 9 475 5240 www.techcomp.co.nz

Signage Trigger Quantities	1000L(9.1C)
Emergency Response Plan	1000L(9.1C)
Secondary Containment	1000L(9.1C)
Restriction of Use	None

Section 16	Other Information
Glossary	
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms
	inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible
	authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit
	·

1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.

Disclaimer

This document has been issued by TCC (NZ) Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 17 May 2021 Review Date: 17 May 2026

Product Name: Neodisher Mediclean forte
Date of SDS: 17 May 2017

Issued by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz