

neodisher IP Spray Print date: 19.11.19 Replaces Version: 2 / Date revised: 19.11.2019 Version: 3/GB GB SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier neodisher IP Sprav 1.2. Relevant identified uses of the substance or mixture and uses advised against **Identified Uses PC14** Metal surface treatment products, including galvanic and electroplating products 1.3. Details of the supplier of the safety data sheet Address: Chemische Fabrik Dr. Weigert GmbH & Co. KG Mühlenhagen 85 D-20539 Hamburg Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120 www.drweigert.com E-mail address of person responsible for this SDS: sida@drweigert.de 1.4. Emergency telephone number GBK/ Infotrac: (USA domestic) +1 800 535 5053 or international +1 352 323 3500 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (Regulation (EC) No. 1272/2008) Classification (Regulation (EC) No. 1272/2008) Aerosol 1 H222 STOT SE 3 H336 Aquatic Chronic 2 H411 The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 2.2. Label elements Labelling according to regulation (EC) No 1272/2008 Hazard pictograms Signal word Danger **Hazard statements** H222 Extremely flammable aerosol. H229 Pressurized container: may burst if heated. H336 May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. H411 **Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition



contains 3. Other hazards No special hazards ha CTION 3: Composition 3. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration	sources. No smoking. Do not spray on an oper Do not pierce or burn, ev Avoid breathing dust/fun Avoid release to the env Protect from sunlight. Do Dispose only when conta residues, refer to Safety nt(s) to be indicated or aliphatic hydrocarbons, of ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	ven afte ne/gas/n rironmer o not exp ainer is o Data Sh n label C5-C6	r use. nist/vapou it. pose to ter empty and neet. (Regulat	rs/spray. nperatures exce l closed. For disp	posal of product
P251 P261 P273 P410+P412 Hazardous component contains 3. Other hazards No special hazards hat ECTION 3: Composition 3. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Do not spray on an oper Do not pierce or burn, ev Avoid breathing dust/fun Avoid release to the env Protect from sunlight. Do Dispose only when conta residues, refer to Safety nt(s) to be indicated on aliphatic hydrocarbons, of ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	ven afte ne/gas/n rironmer o not exp ainer is o Data Sh n label C5-C6	r use. nist/vapou it. pose to ter empty and neet. (Regulat	rs/spray. nperatures exce l closed. For disp	posal of product
P251 P261 P273 P410+P412 Hazardous component contains 3. Other hazards No special hazards hat CTION 3: Composition 2. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Do not pierce or burn, ev Avoid breathing dust/fun Avoid release to the env Protect from sunlight. Do Dispose only when conta residues, refer to Safety nt(s) to be indicated or aliphatic hydrocarbons, of ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	ven afte ne/gas/n rironmer o not exp ainer is o Data Sh n label C5-C6	r use. nist/vapou it. pose to ter empty and neet. (Regulat	rs/spray. nperatures exce l closed. For disp	posal of product
P261 P273 P410+P412 Hazardous component contains 3. Other hazards No special hazards hat CTION 3: Composition 2. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Avoid breathing dust/fun Avoid release to the env Protect from sunlight. Do Dispose only when conta residues, refer to Safety nt(s) to be indicated on aliphatic hydrocarbons, of ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	ne/gas/n rironmer o not exp ainer is o Data Sł n label C5-C6	nist/vapou it. pose to ter empty and neet. (Regulat	nperatures exce closed. For dis	posal of product
P273 P410+P412 Hazardous component contains 3. Other hazards No special hazards hat ECTION 3: Composition 3. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Avoid release to the env Protect from sunlight. Do Dispose only when conta residues, refer to Safety nt(s) to be indicated on aliphatic hydrocarbons, of ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	rironmer o not exp ainer is o Data Sł n label C5-C6	it. Dose to ter empty and neet. (Regulat	nperatures exce closed. For dis	posal of product
P410+P412 Hazardous component contains 3. Other hazards No special hazards hat ECTION 3: Composition 3: Composition 5: Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration Classification (Regula	Protect from sunlight. Do Dispose only when conta residues, refer to Safety nt(s) to be indicated or aliphatic hydrocarbons, of ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	o not exp ainer is o Data Sh n label C5-C6	bose to ter empty and neet. (Regulat	closed. For dis	posal of product
Hazardous componen contains 3. Other hazards No special hazards ha ECTION 3: Composition 2. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Dispose only when contaresidues, refer to Safety nt(s) to be indicated on aliphatic hydrocarbons, (ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	ainer is o Data Sł n label C5-C6 redien	empty and neet. (Regulat	closed. For dis	posal of product
contains 3. Other hazards No special hazards ha ECTION 3: Composition 3. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	aliphatic hydrocarbons, o ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	C5-C6 redien		ion (EC) No. 1	272/2008)
 3. Other hazards No special hazards has 5. CTION 3: Composition 5. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula) aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula) Additional remarks: CLP Propane CAS No. EINECS no. Concentration 	ave to be mentioned. n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	redien	ts	-	
No special hazards ha ECTION 3: Composition 3.2. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. CONCENTRATION CAS NO. EINECS no. CONCENTRATION CAS NO. EINECS no. CONCENTRATION	n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)		ts		
CTION 3: Composition 2. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. CORCENTRATION CAS NO. EINECS no. CORCENTRATION CAS NO. EINECS no. CONCENTRATION	n/information on ing ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)		ts		
2. Mixtures Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	ts ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)				
Hazardous ingredient fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. CAS No. EINECS no. Concentration	ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)				
fatty alcohols, ethoxyl CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	ated 68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	_			
CAS No. EINECS no. Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	68920-66-1 500-236-9 >= 1 tion (EC) No. 1272/2008)	_			
Concentration Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	>= 1 tion (EC) No. 1272/2008)	_			
Classification (Regula aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	tion (EC) No. 1272/2008)	/			
aliphatic hydrocarbon CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration			10	%	
CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration					
CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Skin Irrit. 2	H315			
CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	Aquatic Chronic 1 Aquatic Chronic 3	H400 H412			
CAS No. EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration		11412			
EINECS no. Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration					
Registration no. Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	64742-49-0 931-254-9				
Concentration Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	931-254-9 01-2119484651-34				
Classification (Regula Additional remarks: CLP Propane CAS No. EINECS no. Concentration	05	<	50	%	
Additional remarks: CLP Propane CAS No. EINECS no. Concentration			50	70	
CLP Propane CAS No. EINECS no. Concentration	Flam. Liq. 2	H225			
CLP Propane CAS No. EINECS no. Concentration	Skin Irrit. 2	H315			
CLP Propane CAS No. EINECS no. Concentration	STOT SE 3	H336			
CLP Propane CAS No. EINECS no. Concentration	Asp. Tox. 1	H304			
CLP Propane CAS No. EINECS no. Concentration	Aquatic Chronic 2	H411			
Propane CAS No. EINECS no. Concentration		~ ~ ~ ~ ~ ~	• • • •		
CAS No. EINECS no. Concentration	Regulation (EC) No 127	2/2008,	Annex VI,	Note P	
EINECS no. Concentration	- /				
Concentration	74-98-6				
	200-827-9			0/	
Classification (Regula	< 30			%	
	Flam. Gas 1	H220			
	Press. Gas	11220			
Additional remarks:					
CLP	Regulation (EC) No 127	2/2008.	Annex VI.	Note U	
butane	J - (),	,	· · · · ,	-	
CAS No.	106-97-8				
EINECS no.					
Concentration	203-448-7			%	



Print date: 19.11.19 Replaces Version: 2 / Date revised: 19.11.2019 Version: 3/GB GB Classification (Regulation (EC) No. 1272/2008) Flam, Gas 1 H220 Press. Gas Additional remarks: CLP Regulation (EC) No 1272/2008, Annex VI, Note C, U paraffin oil CAS No. 8042-47-5 EINECS no. 232-455-8 01-2119487078-27 Registration no. 25 % Concentration >= 10 < Classification (Regulation (EC) No. 1272/2008) H304 Asp. Tox. 1 Other information Complete text of hazard statements in chapter 16 **SECTION 4: First aid measures** 4.1. Description of first aid measures General information Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor. After inhalation

Ensure supply of fresh air.

After skin contact

No special measures required.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

No special measures required.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Water spray jet, Foam

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. If a fire breaks out nearby, pressure buildup and danger of bursting are possible.

5.3. Advice for firefighters



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 19.11.2019

Print date: 19.11.19

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid impact, friction and electro-static loading; risk of ignition!. Provide good room ventilation even at ground level (vapours are heavier than air).

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value	>	5	<	30	°C
Requirements for stora	ge room	s and ve	essels		

No special measures required.

Storage classes

Storage class according to 2B Aerosol dispensers TRGS 510

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Pentane					
List	EH40				
Туре	WEL				
Value	1800	mg/m³	600	ppm(V)	
Status: 2011		-			
butane					
List	EH40				
Туре	WEL				



neodisher IP Spray Print date: 19.11.19 Replaces Version: 2 / Date revised: 19.11.2019 Version: 3/GB GB Value 1450 mg/m³ 600 ppm(V)Short term exposure limit 1810 mg/m³ ppm(V) 750 Status: 2011; Remarks: carc if more than 0,1% buta-1,3-diene Other information There are not known any further control parameters. 8.2. Exposure controls General protective and hygiene measures Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Take off immediately all contaminated clothing. Wash hands before breaks and after work. **Respiratory protection** If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, filter AX Hand protection Not necessary. Eye protection Safety glasses with side protection shield; Eye protection must comply with EN 166. **Body protection** Clothing as usual in the chemical industry. **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Form Aerosol Colour colourless Odour characteristic **Odour threshold** Remarks not determined pH value Remarks Not applicable Melting point not determined Remarks **Freezing point** Remarks not determined Initial boiling point and boiling range Remarks not determined Flash point Remarks Not applicable Evaporation rate (ether = 1): Remarks not determined Flammability (solid, gas) not determined evaluation Upper/lower flammability or explosive limits Remarks not determined Vapour pressure Remarks not determined Vapour density



Version: 3 / GB	Replaces Version: 2 / GB	Date revised: 19.11.2019	Print date: 19.11.19
Remarks	not determined	l	
Density			
Value	0,86	g/cm³	
Temperature	20	°C	
Solubility in wat			
Remarks	slightly soluble		
Solubility(ies)			
Remarks	not determined	I	
Partition coeffic	ient: n-octanol/water		
Remarks	not determined	l	
Ignition tempera	iture		
Remarks	not determined	1	
Decomposition	temperature		
Remarks	not determined	I	
Viscosity			
Remarks	not determined	I	
Explosive prope	rties		
evaluation	not determined	I	
Oxidising prope			
evaluation	None known		
Other information			
SECTION 10: Stabili	ty and reactivity		
10.1. Reactivity No hazardous re	eactions when stored and handle	ed according to prescribed instr	uctions.
10.2. Chemical stat No hazardous re			
10.3. Possibility of No hazardous re	hazardous reactions eactions known.		
	avoid at and direct sunlight. Evolution of or during spraying or misting.	of flammable mixtures possible	in air when heated above
10.5. Incompatible Oxidising agents			
	composition products ecomposition products known.		
SECTION 11: Toxico	ological information		
11.1 Information o	n toxicological effects		
Acute oral toxic	ity		

SpeciesratLD50> 2000mg/kgMethodcalculated value (Regulation (EC) No. 1272/2008)



neodisher IP Spray Replaces Version: 2 / Print date: 19.11.19 Date revised: 19.11.2019 Version: 3/GB GB Acute dermal toxicity Remarks Based on available data, the classification criteria are not met. Acute inhalational toxicity Remarks Based on available data, the classification criteria are not met. Skin corrosion/irritation evaluation slightly irritant Serious eye damage/irritation Remarks Based on available data, the classification criteria are not met. Sensitization Remarks Based on available data, the classification criteria are not met. Subacute, subchronic, chronic toxicity Remarks Based on available data, the classification criteria are not met. **Mutagenicity** Remarks Based on available data, the classification criteria are not met. **Reproductive toxicity** Remarks Based on available data, the classification criteria are not met. Carcinogenicity Remarks Based on available data, the classification criteria are not met. Specific Target Organ Toxicity (STOT) evaluation May cause drowsiness or dizziness. Aspiration hazard No special hazards have to be mentioned. Other information There is no data available on the product apart from the information given in this subsection. **SECTION 12: Ecological information** 12.1. Toxicity **General information** not determined Fish toxicity (Components) fatty alcohols, ethoxylated Species zebra fish (Brachydanio rerio) LC50 10 to 100 mg/l Duration of exposure 96 h **OECD 203** Method aliphatic hydrocarbons, C5-C6 Species Fathead minnow (Pimephales promelas) LC50 2,5 mg/l 96 Duration of exposure h Bacteria toxicity (Components) fatty alcohols, ethoxylated Species activated sludge **EC50** 1000 mg/l > Method **OECD 209** 12.2. Persistence and degradability **General information**



Print date: 19.11.19

neodisher IP Spray Replaces Version: 2 / Date revised: 19.11.2019 Version: 3/GB GB not determined 12.3. Bioaccumulative potential **General information** not determined Partition coefficient: n-octanol/water not determined Remarks 12.4. Mobility in soil **General information** not determined 12.5. Results of PBT and vPvB assessment General information not determined Evaluation of persistance and bioaccumulation potential The product contains no PBT or vPvB substances. 12.6. Other adverse effects **General information** not determined General information / ecology The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods **Disposal recommendations for the product** Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company. **Disposal recommendations for packaging** Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company. **SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA		
14.1. UN number	1950	1950	1950		
14.2. UN proper shipping name	AEROSOLS, flammable	AEROSOLS, flammable	Aerosols, flammable		
14.3. Transport hazard class(es)	2	2.1	2.1		
Label	8	8			



Version: 3 / GB	Replaces Version: 2 / GB	Date re	vised: 19.11	.2019	Print da	ate: 19.11.19			
Limited Quantity	11								
Transport category	2								
14.5. Environmental hazards		no							
Tunnel restriction code	D								
ECTION 15: Regulat	tory information								
15.1. Safety, health a or mixture	and environmental I	regulations/le	gislation	specif	ic for the s	ubstance			
Major-accident ca	ategories acc. 2012/18	B/EU							
Category	P3a FLAMMABL	E AEROSOLS	150	t	500	t			
VOC									
VOC (EU)	0	%							
Other information									
The product does	not contain substances	of very high conc	ern (SVHC).						
15.2. Chemical safet For this preparation	cy assessment on a chemical safety asse	essment has not	been carried	out.					
ECTION 16: Other in	nformation								
Hazard statement	s listed in Chapter 3								
H220		Extremely flammable gas.							
H225		Highly flammable liquid and vapour.							
H304 H315		May be fatal if swallowed and enters airways. Causes skin irritation.							
H336		frowsiness or diz	ziness.						
H400	Very toxic to		2						
H411	Toxic to aqu	Toxic to aquatic life with long lasting effects.							
H412 Harmful to aquatic life with long lasting effects.									
CLP categories list	-								
Aquatic Chronic 1		o the aquatic env							
Aquatic Chronic 2									
Aquatic Chronic 3 Asp. Tox. 1	Hazardous to the aquatic environment, chronic, Category 3								
Flam. Gas 1		Aspiration hazard, Category 1 Flammable gas, Category 1							
Flam. Liq. 2		Flammable liquid, Category 2							
Press. Gas	Gases unde	•							
Skin Irrit. 2		Skin irritation, Category 2 Specific target organ toxicity - single exposure, Category 3							
STOT SE 3	Specific targ	et organ toxicity	- single expo	sure, C	ategory 3				
Abbreviations	onáon rolatif au transport	international day	marahandia	os Don	dereuses per	Pouto			
	opéen relatif au transport concernant le transport in								
	al Maritime Code for Dar		lane de mar	Jianuis	es dangereus	53			
	al Air Transport Associati								
ICAO: Internation	al Civil Aviation Organiza	ation							
	International Convention		n of Pollution	From	Ships, 1973 as	modified			
by the Protocol of IBC: Intermediate	f 1978 (MARPOL: Marine	Pollution)							
	bstracts Service								



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 19.11.2019

Print date: 19.11.19

TSCA: Toxic Substances Control Act (USA) VOC: Volatile Organic Compound OEL: Occupational exposure limit ISO: International Organization for Standardization LD: Lethal dose LC: Lethal concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of very high concern IUCLID: International Uniform Chemical Information Database OECD: Organisation for Economic Co-operation and Development IMO: International Maritime Organization WHO: World Health Organization GHS: Globally Harmonized System of classification and Labelling of Chemicals REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals **UN: United Nations**

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.